


TEFCOLD®



COOL PRODUCTS WORLDWIDE

Cold Rooms





COLD ROOMS

COLD ROOMS (COOLING) – COLD ROOMS (FREEZING)

Cold rooms and freezer rooms are a perfect plug-in storage solution with quick and easy construction. The refrigeration units are pre-mounted onto a panel and do not require specialist knowledge to assemble. There is no need for cutting or drilling during assembly. The interchangeable modular panels can allow different positioning of both the refrigeration unit and the door.

The cold rooms can be used in restaurant, hotel and café kitchens, as well as convenience stores and delicatessens. They are a great way to create large efficient cooling space at an affordable price.

The large variety of room sizes allows you to find the room to suit your requirements. All rooms are available in either cooler or freezer models. You can purchase as room only without the cooling unit if you require a remote refrigeration installation. Rooms can be bought with optional shelving if required.





General info about our cold rooms

- Temperature range from 0 to +8 °C
- Plug-in – meaning it is ready to use after assembly
- Interlocking cam-lock panel system makes it easy to assemble the room (tools for this are included)
- 80 mm panel insulation
- Low energy consumption compared to size (ranging from 17,93 to 25,92 kWh/24h)
- Eco-friendly refrigerant R290
- No special installation requirements, as refrigerant charge is below 150 g
- Anti-slip floor in SS304 stainless steel
- Max load on floor is 1500 kg/m²
- Standard door width is 700 mm, but we also offer models with 850 mm door width


General info about our freezer rooms

- Temperature range from -20 to 0 °C
- Plug-in – meaning it is ready to use after assembly
- Interlocking cam-lock panel system makes it easy to assemble the room (tools for this are included)
- 120 mm panel insulation
- Low energy consumption compared to size (ranging from 22,49 to 31,78 kWh/24h)
- Eco-friendly refrigerant R290
- No special installation requirements, as refrigerant charge is below 150 g
- Anti-slip floor in SS304 stainless steel
- Max load on floor is 2000 kg/m²
- Standard door width is 700 mm, but we also offer models with 850 mm door width



Real life installation

A Tefcold installation in Hellevad, Denmark of a CRPF2130 cold room and CRNF2130 freezer room with optional shelving (item 45721) and ramp (item 44317).






Easy assembly and (almost) endless possibilities

Our cold rooms and freezer rooms are quick and easy to assemble. They are built from insulated interlocking panels with a cam-lock system. On some models it is possible to move the position of the door and the mono block - just swap with another panel on the room that is the same size.

No matter which room size you choose, the refrigeration unit comes as a separate unit. It fits onto the short panel supplied. See illustration below.



The cooling unit always comes as a separate piece to optimize transport. To install it, simply place it on top of the 3/4 length panel as seen on the illustration. After installing the cooling unit, you will have a full-length panel in spare.

1



2



3



4



5



6




7



8




9



10



11



12



13



14



VIDEO GUIDE





Cold Rooms - available sizes

Model names containing WD has an 850 mm wide door. The standard door is 700 mm.

Cold Room Complete					Shelf Rack System Kit
Item no.	Model	External dimensions WxDxH / wall thickness (mm)	Internal dimensions WxDxH (mm)	Internal volume (m3)	Item no.
44162	CRPF1212	1200x1200x2200 / 80	1040x1040x2040	2,20	46196
44163	CRPF1215	1200x1500x2200 / 80	1040x1340x2040	2,84	46196
44164	CRPF1218	1200x1800x2200 / 80	1040x1640x2040	3,48	46197
44165	CRPF1221	1200x2100x2200 / 80	1040x1940x2040	4,10	46198
44166	CRPF1224	1200x2400x2200 / 80	1040x2240x2040	4,75	46199
44167	CRPF1227	1200x2700x2200 / 80	1040x2540x2040	5,39	46200
44168	CRPF1230	1200x3000x2200 / 80	1040x2840x2040	6,03	46201
44169	CRPF1515	1500x1500x2200 / 80	1340x1340x2040	3,66	45707
44170	CRPF1518	1500x1800x2200 / 80	1340x1640x2040	4,48	45865
44171	CRPF1521	1500x2100x2200 / 80	1340x1940x2040	5,30	45709
44172	CRPF1524	1500x2400x2200 / 80	1340x2240x2040	6,12	45866
44173	CRPF1527	1500x2700x2200 / 80	1340x2540x2040	6,94	46202
44174	CRPF1530	1500x3000x2200 / 80	1340x2840x2040	7,76	46203
44394	CRPF1815	1800x1500x2200 / 80	1640x1340x2040	4,48	45713
44175	CRPF1818	1800x1800x2200 / 80	1640x1640x2040	5,49	45867
44176	CRPF1821	1800x2100x2200 / 80	1640x1940x2040	6,49	46204
44177	CRPF1824	1800x2400x2200 / 80	1640x2240x2040	7,49	46206
44178	CRPF1827	1800x2700x2200 / 80	1640x2540x2040	8,50	46212
44179	CRPF1830	1800x3000x2200 / 80	1640x2840x2040	12,34	46213
44180	CRPF2121	2100x2100x2200 / 80	1940x1940x2040	7,68	45716
44181	CRPF2124	2100x2400x2200 / 80	1940x2240x2040	8,87	46214
44182	CRPF2127	2100x2700x2200 / 80	1940x2540x2040	10,05	45720
44183	CRPF2130	2100x3000x2200 / 80	1940x2840x2040	11,24	45724
44184	CRPF2424	2400x2400x2200 / 80	2240x2240x2040	10,24	45869
44185	CRPF2427	2400x2700x2200 / 80	2240x2540x2040	11,60	46215
44186	CRPF2430	2400x3000x2200 / 80	2240x2840x2040	12,98	45512
44187	CRPF2727	2700x2700x2200 / 80	2540x2540x2040	13,16	45726
44188	CRPF2730	2700x3000x2200 / 80	2540x2840x2040	14,72	46216
44189	CRPF3030	3000x3000x2200 / 80	2840x2840x2040	16,45	46217
51056	CRPF2130WD	2100x3000x2200 / 80	1940x2840x2040	11,24	45724
51057	CRPF2427WD	2400x2700x2200 / 80	2240x2540x2040	11,60	46215
49686	CRPF3030WD	3000x3000x2200 / 80	2840x2840x2040	16,45	46217



	120	150	180	210	240	270	300
120							
150							
180							
210							
240							
270							
300							

door width 700mm or 850mm

door width 700mm or 850mm

door width 700mm or 850mm



Freezer Rooms - available sizes

Model names containing WD has an 850 mm wide door. The standard door is 700 mm.

Freezer Room Complete					Shelf Rack System Kit
Item no.	Model	External dimensions WxDxH / wall thickness (mm)	Internal dimensions WxDxH (mm)	Internal volume (m3)	Item no.
44218	CRNF1212	1200x1200x2200 / 120	960x960x1960	1,81	46218
44219	CRNF1215	1200x1500x2200 / 120	960x1260x1960	2,37	46218
44220	CRNF1218	1200x1800x2200 / 120	960x1560x1960	2,94	46219
44221	CRNF1221	1200x2100x2200 / 120	960x1860x1960	3,50	46220
44222	CRNF1224	1200x2400x2200 / 120	960x2160x1960	4,06	46221
44223	CRNF1227	1200x2700x2200 / 120	960x2460x1960	4,63	46222
44224	CRNF1230	1200x3000x2200 / 120	960x2760x1960	5,19	46223
44225	CRNF1515	1500x1500x2200 / 120	1260x1260x1960	3,11	45708
44226	CRNF1518	1500x1800x2200 / 120	1260x1560x1960	3,85	45511
44227	CRNF1521	1500x2100x2200 / 120	1260x1860x1960	4,59	45710
44228	CRNF1524	1500x2400x2200 / 120	1260x2160x1960	5,33	45522
44229	CRNF1527	1500x2700x2200 / 120	1260x2460x1960	6,08	46224
44230	CRNF1530	1500x3000x2200 / 120	1260x2760x1960	6,82	46225
44396	CRNF1815	1800x1500x2200 / 120	1560x1260x1960	3,85	45712
44231	CRNF1818	1800x1800x2200 / 120	1560x1560x1960	4,77	45523
44232	CRNF1821	1800x2100x2200 / 120	1560x1860x1960	5,69	46226
44233	CRNF1824	1800x2400x2200 / 120	1560x2160x1960	6,60	46227
44234	CRNF1827	1800x2700x2200 / 120	1560x2460x1960	7,52	46228
44235	CRNF1830	1800x3000x2200 / 120	1560x2760x1960	8,44	46229
44236	CRNF2121	2100x2100x2200 / 120	1860x1860x1960	6,78	45715
44237	CRNF2124	2100x2400x2200 / 120	1860x2160x1960	7,87	46230
44238	CRNF2127	2100x2700x2200 / 120	1860x2460x1960	8,97	45719
44239	CRNF2130	2100x3000x2200 / 120	1860x2760x1960	10,06	45721
44240	CRNF2424	2400x2400x2200 / 120	2160x2160x1960	9,14	45864
44241	CRNF2427	2400x2700x2200 / 120	2160x2460x1960	10,41	46231
44242	CRNF2430	2400x3000x2200 / 120	2160x2760x1960	11,68	45722
44243	CRNF2727	2700x2700x2200 / 120	2460x2460x1960	11,86	45723
44244	CRNF2730	2700x3000x2200 / 120	2460x2760x1960	13,31	46232
44245	CRNF3030	3000x3000x2200 / 120	2760x2760x1960	14,93	46233
51058	CRNF2130WD	2100x3000x2200 / 120	1860x2760x1960	10,06	45721
51059	CRNF2427WD	2400x2700x2200 / 120	2160x2460x1960	10,41	46231
49688	CRNF3030WD	3000x3000x2200 / 120	2760x2760x1960	14,93	46233



	120	150	180	210	240	270	300
120							
150							
180							
210							
240							
270							
300							

door width 700mm or 850mm

door width 700mm or 850mm

door width 700mm or 850mm



Shelf rack system kits available as accessories

- You can see the layout of each shelf rack system kit on the overview with drawings of
- the different rooms (page 9 for cold rooms and page 11 for freezer rooms)
- Easy and quickly assembly
- Highest hygienic standard, heat resistance from -30 °C to +60 °C
- The shelves consist of removable pieces for easy cleaning
- Removable shelves are dishwasher safe up to +90 °C
- 90kg/level and 450kg between 2 uprights

Shelf Rack System Kit	A perfect fit for cold rooms
Item no.	Model
46196	CRPF1212
46196	CRPF1215
46197	CRPF1218
46198	CRPF1221
46199	CRPF1224
46200	CRPF1227
46201	CRPF1230
45707	CRPF1515
45865	CRPF1518
45709	CRPF1521
45866	CRPF1524
46202	CRPF1527
46203	CRPF1530
45713	CRPF1815
45867	CRPF1818
46204	CRPF1821
46206	CRPF1824
46212	CRPF1827
46213	CRPF1830
45716	CRPF2121
46214	CRPF2124
45720	CRPF2127
45724	CRPF2130/CRPF2130WD
45869	CRPF2424
46215	CRPF2427/CRPF2427WD
45512	CRPF2430
45726	CRPF2727
46216	CRPF2730
46217	CRPF3030/CRPF3030WD

Shelf Rack System Kit	A perfect fit for freezer rooms
Item no.	Model
46218	CRNF1212
46218	CRNF1215
46219	CRNF1218
46220	CRNF1221
46221	CRNF1224
46222	CRNF1227
46223	CRNF1230
45708	CRNF1515
45511	CRNF1518
45710	CRNF1521
45522	CRNF1524
46224	CRNF1527
46225	CRNF1530
45712	CRNF1815
45523	CRNF1818
46226	CRNF1821
46227	CRNF1824
46228	CRNF1827
46229	CRNF1830
45715	CRNF2121
46230	CRNF2124
45719	CRNF2127
45721	CRNF2130/CRNF2130WD
45864	CRNF2424
46231	CRNF2427/CRNF2427WD
45722	CRNF2430
45723	CRNF2727
46232	CRNF2730
46233	CRNF3030/CRNF3030WD



Additional accessories

Item no.	Type
13680	Alarm kit for freezer rooms
44316	Strip curtain for freezer rooms
45344	Ramp for freezer rooms (120 mm)
44317	Ramp for cold rooms (80 mm)
47840	Wheels for shelf rack modules – with brake
47841	Wheels for shelf rack modules – no brake



Optional wheels



PASSION FOR COOLING

Who are we

TEFCOLD is a family-owned company with headquarters in Viborg, Denmark. Cooling is our passion and we have more than 35 years of experience distributing commercial cooling equipment. Today we are one of the market leaders within the plug-in refrigeration industry. With the help of professional distributors and business partners, we export to customers in more than 100 countries worldwide. Our goal is to help customers keep temperatures down and sales up.






The TEFCOLD GROUP in numbers

- 150+ employees in 8 countries
- 50.000 m2 warehouse spread across Denmark, the United Kingdom, Belgium, France, and the Czech Republic
- 70.000+ units in stock
- 5000+ customers in 100 countries
- 170.000 units sold yearly

 Sales Office and Warehouse

 Sales Office



WHY BUY FROM US

Always a solution in stock for you

As you can see in this catalogue, we offer a wide range of coolers and freezers, and we always have more than 70.000 units in stock.

Global delivery

To ensure fast delivery, we have offices and warehousing throughout Europe. No minimum order quantity, mix your order as preferred and enjoy super-fast delivery times. Delivery direct from one of our factories is also an option.

Save money – use our warehouse

You are welcome to arrange deliveries directly from one of our European warehouses to your customers. This way you can invest in the products you need now instead of filling up your own warehouse.

Standard or customized products

With us you always have the choice between standard or customized products. We develop new and innovative products based on market needs or customer request, and we have our own in-house branding facilities.

High-quality products

All of our existing and new products undergo strict quality control in our state-of-the-art testing facilities to ensure quality, reliability, efficiency, and to comply with regulations.

Eco-friendly

Our new products are developed with focus on keeping the energy consumption to a minimum, and we only use eco-friendly refrigerants.

Easy to do business with

It is our mission to work hard every day to provide our customers an excellent service and make their life easy. If you have any questions, our dedicated team will be glad to answer them.

PASSION FOR COOLING

Quality solutions within cooling and freezing. And with wholehearted passion.

A passion for cooling and for customers.



COOLERS

Display or storage. Upright, chest or table top. Open or closed. Small or large. We have coolers for every purpose.



FREEZERS

Ice cream freezers, display freezers, upright storage or chest freezers. Large or small. We have freezers for every purpose.

STAINLESS STEEL

Stainless steel doors or drawers. Complete solutions.



COOLING AND KNOWHOW IN STOCK

TEFCOLD always has more than 70,000 units in stock ready for shipment from our warehouses in southern and northern Europe. Good advice on the chosen solution is also in stock.



COOLERS

Display or storage. Upright, chest or table top. Open or closed. Small or large. We have coolers for every purpose.



FREEZERS

Ice cream freezers, display freezers, upright storage or chest freezers. Large or small. We have freezers for every purpose.



COMMERCIAL COOLING WHEN IT SUITS YOU

Making life easier for our customers is important to us and we therefore focus a lot of energy on developing useful IT tools that can help with this. On this page you can see an overview of some of the solutions we have come up with – which you get access to with a web login.

Benefits of being a TEFCOLD customer with a web shop login:

- Buy 24/7 at your convenience, in your local language
-
- Always with your agreed prices and potential warranty agreements
- Possibility to buy on credit
- See your transport costs immediately – based on calculated loading meters
- Real time stock info
- Date of arrival if a product is sold out
- Customer center with status on orders and invoices as well as tracking codes
- Access to additional documents like product drawings, electrical diagrams, energy labels etc.
- MediaBank with all product images ready for download
- Live XML feed so you can integrate our products to your web shop
- PDF offer function - use our web shop to make offers for your customers
- Comparison function - compare different products to make an informed decision
- Create favorite lists for e.g. different product groups, projects, customers

TEFCOLD®

TEFCOLD A/S

Industrivej 25
8800 Viborg
Denmark

T: +45 8660 1933
E: sales@tefcold.com
tefcold.com

TOPCOLD (BE)

LICHTENBERGLAAN 1023
3800 Sint-Truiden
Belgium

T: +32 (0) 11 / 782 698
E: receptie@topcold.be
topcold.be

TEFCOLD (CZ)

Logistický areál P3 Ostrava Central,
hala L1, Vítkovice 3046, 703 00 Ostrava
Česká republika

T: +420 593 033 028
E: vo@tefcold.com
tefcold.cz

TEFCOLD SK s.r.o.

Vlčie hrdlo 50
821 07 Bratislava
Slovensko

T: +421 911 770 462
E: elektro@tefcold.com
tefcold.sk

Mondial Groupe (FR)

65 route de Grenoble
38690 Châbons
France

T: +33 4 76 65 00 92
E: mondial@mondialgroup.fr
mondialgroup.fr

TEFCOLD (UK)*

West Meadow Rise
Castle Donington
Derby | DE74 2HL | UK

T: +44 (0) 1332 850090
E: sales@tefcold.co.uk
tefcold.co.uk

*TEFCOLD (UK) is a trading name of
Interlevin Refrigeration Ltd